

B6.Cg-Fcer1a^{tm1Knt} Tg(FCER1A)1Bhk/J

Stock No: 010506

Protocol 25287: Separated PCR Assay - Fcer1a<tm1Knt>alternate2

Version 1.2

Notes

The genotyping protocol(s) presented here have been optimized for reagents and conditions used by The Jackson Laboratory (JAX). To genotype animals, JAX recommends researchers validate the assay independently upon receipt of animals into their facility. Reaction cycling temperature and times may require additional optimization based on the specific genotyping reagents used.

Expected Results

Mutant = 280 bp

Heterozygote = 280 bp and 559 bp

Wild type = 559 bp

JAX Protocol

Protocol Primers

PRIMER	5' LABEL	SEQUENCE 5' → 3'	3' LABEL	PRIMER TYPE	REACTION	NOTE
13785		CCT CTG CTT CAT CCC TTG TG		Wild type Forward	B	
13787		TGA AAG CAT GGT CAT TCC TG		Wild type Reverse	B	
oIMR6916		CTT GGG TGG AGA GGC TAT TC		Mutant Forward	A	
oIMR6917		AGG TGA GAT GAC AGG AGA TC		Mutant Reverse	A	

Reaction A

Cycling

COMPONENT	FINAL CONCENTRATION	STEP	TEMP °C	TIME	NOTE
ddH ₂ O		1	94.0	--	
Kapa 2G HS buffer	1.30 X	2	94.0	--	
MgCl ₂	2.60 mM	3	65.0	--	-0.5 C per cycle decrease
dNTPS-kapa	0.26 mM	4	68.0	--	
oIMR6916	0.50 uM	5		--	repeat steps 2-4 for 10 cycles (Touchdown)
oIMR6917	0.50 uM	6	94.0	--	
Glycerol	6.50 %	7	60.0	--	
Dye	1.00 X	8	72.0	--	
Kapa 2G HS taq polym	0.03 U/uL	9		--	repeat steps 6-8 for 28 cycles
DNA		10	72.0	--	
		11	10.0	--	hold

JAX uses a very high speed Taq (~1000 bp/sec), use cycling times recommended for your reagents.

JAX uses a 'touchdown' cycling protocol and therefore has not calculated the optimal annealing temperature for each set of primers.

Reaction B

COMPONENT	FINAL CONCENTRATION	Cycling		
		STEP	TEMP °C	TIME
ddH2O		1	94.0	--
Kapa 2G HS buffer	1.30 X	2	94.0	--
MgCl2	2.60 mM	3	65.0	--
dNTPS-kapa	0.26 mM	4	68.0	--
13785	0.50 uM	5		-0.5 C per cycle decrease
13787	0.50 uM	6	94.0	--
Glycerol	6.50 %	7	60.0	--
Dye	1.00 X	8	72.0	--
Kapa 2G HS taq polym	0.03 U/uL	9		repeat steps 6-8 for 28 cycles
DNA		10	72.0	--

JAX uses a very high speed Taq (~1000 bp/sec), use cycling times recommended for your reagents.

JAX uses a 'touchdown' cycling protocol and therefore has not calculated the optimal annealing temperature for each set of primers.

